



PEDIATRIC EATING ASSESSMENT TOOL (PediEAT) SCORING GUIDELINE

How to score the PediEAT items and calculate a sum score?

Scores are assigned to the PediEAT items with low scores indicating no problems and high scores indicating more problematic behaviors. In each subscale, there are numbers in the response options, which indicates the score assigned to each response in that subscale. Note that some of the scores assigned to the responses go from 5 to 0, while some scores go from 0 to 5.

There are some items that may not apply to a child based on the child's age. For example, there are specific instructions to parents above the items pertaining to chewing. If a child is less than 15 months old and not being offered chewable foods, you are to score it as not problematic (Always - Score 0). If a child is older than 15 months and not yet being offered chewable foods or refuses to eat the types of food specified, you should answer in a way that indicates that is most problematic (Never - Score 5).

Add the score for each item. A box is provided at the end of each subscale to record the total score for that subscale. To calculate the total score, sum all the subscale scores.

How to interpret scores?

The PediEAT scores may be converted to standardized scores using the scoring tables (see pages 3-14). By doing so, it will allow you to compare an individual's score to a reference population, thereby helping the score interpretation.

We use the reference population (typically developing children without feeding problems in the U.S.) to calculate standardized scores such as T-score and percentiles. All standardized scores have a "middle" score; it is zero for z-scores, 100 for IQ scores and 50 for T-scores and percentiles. The middle score is the mean of the reference population. For example, if you use a T-score metric, 50 is the mean and 10 is a standard deviation. If you observe the child receives a T-score of 50, you can say that his/her score is the same score as the average score for the reference population. If you observe the child's score receives a T-score of 60, it would indicate his/her score is one standard deviation higher than the average of the reference population. If you observe the child's score receives a T-score of 70, it would indicate his/her score is two standard deviations higher than the average of the reference population.

In order to consider the differential impact of the developmental changes on feeding behaviors, we created age-specific standardized scores for each of the following 11 age groups: 6-9 months, 9-12 months, 12-15 months, 15-18 months, 18-24 months, 24-30 months, 30-36 months, 3-4 years, 4-5 years, 5-6 years, and 6-7 years. As we anticipate a more rapid change and more variability in development among younger children, we intentionally chose shorter age ranges in younger age groups, plus these are the American Academy of Pediatrics' recommended ages for well-child check-ups. Please note that corrected age should be used when converting an individual's score to




PEDIATRIC EATING ASSESSMENT TOOL (PediEAT) SCORING GUIDELINE

the age-specific standardized score if the child is less than 2 years old and he/she was born at less than 37 weeks gestational age (i.e., the child was born more than 3 weeks before their due date).

Score Cut Points

We suggest score ranges for each of the four subscales and total scale to indicate how concerning the child's score is using common T-score cut points. Using these cut points, you can see if the child is within 1 SD of the mean score of the reference population (green), between 1 and 2 SDs above the mean score of the reference population (yellow) or >2 SDs above the mean score of the reference population (orange). Please note that cut points vary across the age groups.

PediEAT T-Score Cut Points



Referencing Information: Please give appropriate credit to the authors when presenting, publishing, or otherwise referencing the Pediatric Eating Assessment Tool (PediEAT).

Pados, B.F., Thoyre, S.M., & Park, J. (2018). Age-based norm-reference values for the Pediatric Eating Assessment Tool. *Pediatric Research*, 84(2), 233-239. doi:10.1038/s41390-018-0067-z

Thoyre, S., Crandell, J., Park, J., and Estrem, H. (in review). Interpreting pediatric feeding assessment tools' scores using percentiles and T scores.

6-9 months

Total and subscale scores with corresponding percentiles (%) and t-scores

PediEAT: Total Score			Score	%	t-score
≤19	1	28	76	65	54
20	2	29	77	65	54
21	2	29	78	66	54
22	3	31	79	66	54
23	4	32	80	67	54
24	5	34	81	68	55
25	6	34	82	69	55
26	7	35	83	69	55
27	7	35	84	70	55
28	8	36	85	70	55
29	8	36	86	71	55
30	9	37	87	71	56
31	10	37	88	72	56
32	10	37	89	76	57
33	11	37	90	78	58
34	11	38	91	80	58
35	13	39	92	80	59
36	14	39	93	81	59
37	15	40	94	81	59
38	16	40	95	82	59
39	16	40	96	84	60
40	17	40	97	85	60
41	18	41	98	85	60
42	18	41	99	86	61
43	19	41	100	88	62
44	20	42	101	90	63
45	21	42	102	91	63
46	22	42	103	91	64
47	23	43	104	92	64
48	25	43	105	93	64
49	28	44	106	93	65
50	30	45	107	93	65
51	33	46	108	94	65
52	35	46	109	94	65
53	38	47	110	94	66
54	39	47	111	94	66
55	39	47	112	94	66
56	40	47	113	95	66
57	40	47	114	95	66
58	42	48	115	95	66
59	43	48	116	95	66
60	45	49	117	95	67
61	47	49	118	96	67
62	48	49	119	96	68
63	49	50	120	96	68
64	50	50	121	97	68
65	52	51	122	97	68
66	54	51	123	97	69
67	55	51	124	98	71
68	56	52	125	98	71
69	59	52	126	98	71
70	61	53	127	98	71
71	62	53	128	98	71
72	63	53	129	98	71
73	64	53	130	98	71
74	64	54	131	98	71
75	64	54	132	98	72
			≥133	99	72

PediEAT: Physiological Symptoms			Score	%	t-score
0	4	32			
1	7	35			
2	8	36			
3	11	38			
4	14	39			
5	18	41			
6	23	43			
7	28	44			
8	32	45			
9	38	47			
10	45	49			
11	51	50			
12	57	52			
13	61	53			
14	65	54			
15	69	55			
16	71	55			
17	72	56			
18	74	56			
19	77	57			
20	81	59			
21	83	59			
22	84	60			
23	87	61			
24	88	62			
25	88	62			
26	89	62			
27	90	63			
28	91	63			
29	92	64			
30	93	65			
31	95	66			
32	97	69			
33	98	71			
34	98	71			
≥35	99	72			

PediEAT: Selective/Restrictive Eating			Score	%	t-score
≤3	1	27			
4	2	29			
5	6	34			
6	11	38			
7	16	40			
8	20	42			
9	26	44			
10	32	45			
11	39	47			
12	44	48			
13	48	49			
14	53	51			
15	57	52			
16	60	53			
17	64	54			
18	67	54			
19	69	55			
20	75	57			
21	81	59			
22	84	60			
23	87	61			
24	88	62			
25	89	62			
26	91	63			
27	94	66			
28	95	66			
29	95	66			
30	96	67			
31	96	68			
32	97	68			
33	97	69			
34	98	71			
≥35	99	72			

PediEAT: Problematic Mealtime Behaviors			Score	%	t-score
0	2	29			
1	7	35			
2	12	38			
3	16	40			
4	19	41			
5	21	42			
6	25	43			
7	29	44			
8	32	45			
9	36	46			
10	39	47			
11	41	48			
12	43	48			
13	46	49			
14	50	50			
15	53	51			
16	56	51			
17	58	52			
18	62	53			
19	66	54			
20	68	55			
21	71	56			
22	74	56			
23	76	57			
24	78	58			
25	79	58			
26	81	59			
27	82	59			
28	84	60			
29	87	61			
30	89	62			
31	91	63			
32	92	64			
33	94	66			
34	95	66			
35	95	66			
36	96	67			
37	96	68			
38	96	68			
39	97	68			
40	97	69			
41	97	69			
42	97	69			
43	98	70			
44	98	70			
45	98	70			
46	98	71			
≥47	99	73			

PediEAT: Oral Processing			Score	%	t-score
≤5	1	27			
6	3	31			
7	4	32			
8	4	33			
9	5	34			
10	7	35			
11	11	38			
12	14	39			
13	16	40			
14	17	40			
15	20	42			
16	24	43			
17	25	43			
18	27	44			
19	31	45			
20	35	46			
21	39	47			
22	43	48			
23	47	49			
24	50	50			
25	51	50			
26	54	51			
27	56	52			
28	60	53			
29	67	54			
30	72	56			
31	75	57			
32	78	58			
33	81	59			
34	83	60			
35	86	61			
36	88	62			
37	90	63			
38	92	64			
39	93	64			
40	93	65			
41	94	66			
42	96	68			
43	97	69			
44	98	71			
45	98	71			
46	98	71			
47	98	71			
48	98	71			
49	98	72			
≥50	99	72			

9-12 months

Total and subscale scores with corresponding percentiles (%) and t-scores

PediEAT: Total Score			Score	%	t-score
≤16	1	28	83	79	58
17	2	28	84	80	58
18	2	29	85	81	59
19	2	29	86	82	59
20	2	29	87	82	59
21	3	31	88	83	60
22	4	32	89	83	60
23	5	34	90	83	60
24	5	34	91	84	60
25	5	34	92	84	60
26	6	34	93	84	60
27	6	34	94	85	60
28	6	34	95	85	60
29	7	35	96	86	61
30	8	36	97	87	61
31	8	36	98	88	62
32	9	36	99	88	62
33	9	37	100	89	62
34	10	37	101	89	62
35	11	37	102	89	62
36	11	38	103	90	63
37	12	38	104	90	63
38	13	39	105	90	63
39	15	40	106	91	63
40	16	40	107	91	63
41	17	40	108	92	64
42	18	41	109	92	64
43	18	41	110	92	64
44	19	41	111	92	64
45	22	42	112	92	64
46	27	44	113	92	64
47	28	44	114	92	64
48	29	44	115	92	64
49	31	45	116	93	64
50	33	46	117	93	64
51	34	46	118	93	65
52	38	47	119	93	65
53	40	47	120	93	65
54	42	48	121	93	65
55	44	48	122	93	65
56	46	49	123	94	66
57	48	49	124	94	66
58	50	50	125	95	66
59	51	50	126	95	66
60	52	51	127	95	66
61	53	51	128	95	67
62	55	51	129	95	67
63	57	52	130	95	67
64	58	52	131	96	67
65	59	52	132	96	67
66	61	53	133	96	67
67	63	53	134	96	68
68	64	53	135	97	68
69	64	54	136	97	69
70	65	54	137	97	69
71	67	54	138	97	69
72	67	54	139	97	69
73	68	55	140	97	70
74	68	55	141-206	98	70
75	69	55	≥207	99	72
76	70	55			
77	71	56			
78	72	56			
79	75	57			
80	76	57			
81	77	57			
82	78	58			

PediEAT: Physiological Symptoms			Score	%	t-score
0	3	31			
1	8	36			
2	11	38			
3	14	39			
4	19	41			
5	25	43			
6	30	45			
7	35	46			
8	42	48			
9	47	49			
10	53	51			
11	58	52			
12	64	54			
13	68	55			
14	69	55			
15	72	56			
16	75	57			
17	77	57			
18	80	58			
19	82	59			
20	84	60			
21	85	60			
22	85	60			
23	88	62			
24	89	62			
25	91	63			
26	92	64			
27	92	64			
28	93	64			
29	93	65			
30	94	65			
31	94	66			
32	96	68			
33	97	68			
34	97	69			
35	97	69			
36	97	69			
37	97	69			
38	98	70			
39	98	70			
40	98	70			
41	98	71			
42	98	71			
43	98	71			
44	98	71			
45	98	71			
46	98	71			
47	98	71			
48	98	71			
49	98	71			
50	98	71			
51	98	71			
52	98	71			
53	98	71			
54	98	71			
55	98	71			
56	98	71			
57	98	71			
58	98	71			
59	98	71			
60	98	71			
61	98	72			
62	98	72			
63	98	72			
64	98	72			
≥65	99	72			

PediEAT: Selective/Restrictive Eating			Score	%	t-score
≤2	1	27			
3	2	29			
4	3	31			
5	4	32			
6	6	34			
7	7	35			
8	9	37			
9	11	38			
10	14	39			
11	16	40			
12	21	42			
13	27	44			
14	33	46			
15	42	48			
16	48	49			
17	53	51			
18	57	52			
19	61	53			
20	67	54			
21	71	56			
22	76	57			
23	79	58			
24	81	59			
25	84	60			
26	88	62			
27	90	63			
28	91	63			
29	91	64			
30	92	64			
31	95	66			
32	96	67			
33	96	68			
34	97	69			
35	98	70			
36	98	71			
37	98	71			
38	98	71			
39	98	71			
40	98	71			
41	98	71			
42	98	71			
43	98	71			
44	98	71			
45	98	72			
≥46	99	72			

PediEAT: Problematic Mealtime Behaviors			Score	%	t-score
≤1	1	27			
2	2	29			
3	3	31			
4	4	32			
5	7	35			
6	11	38			
7	15	40			
8	19	41			
9	26	44			
10	32	45			
11	38	47			
12	41	48			
13	45	49			
14	47	49			
15	50	50			
16	53	51			
17	57	52			
18	62	53			
19	67	54			
20	69	55			
21	70	55			
22	72	56			
23	75	57			
24	76	57			
25	78	58			
26	81	59			
27	84	60			
28	85	60			
29	86	61			
30	88	62			
31	89	62			
32	90	63			
33	90	63			
34	91	63			
35	92	64			
36	93	65			
37	94	66			
38	94	66			
39	95	66			
40	95	66			
41	95	66			
42	96	67			
43	96	68			
44	96	68			
45	97	68			
46	97	68			
47	97	69			
48	97	69			
49	97	69			
50	98	70			
51	98	70			
52	98	70			
53	98	71			
54	98	71			
55	98	71			
56	98	71			
57	98	71			
58	98	71			
59	98	71			
60	98	71			
61	98	71			
62	98	71			
63	98	71			
64	98	71			
65	98	71			
66	98	71			
67	98	72			
68	98	72			
≥69	99	72			

PediEAT: Oral Processing			Score	%	t-score
≤1	1	27			
2	2	29			
3	3	31			
4	4	32			
5	5	34			
6	7	35			
7	8	36			
8	10	37			
9	12	38			
10	15	40			
11	20	42			
12	27	44			
13	30	45			
14	32	45			
15	35	46			
16	42	48			
17	48	49			
18	54	51			
19	60	53			
20	65	54			
21	67	54			
22	70	55			
23	74	56			
24	77	57			
25	79	58			
26	80	58			
27	82	59			
28	83	60			
29	84	60			
30	86	61			
31	87	61			
32	89	62			
33	91	63			
34	92	64			
35	92	64			
36	93	65			
37	95	66			
38	95	67			
39	96	67			
40	96	68			
41	96	68			
42	97	68			
43	97	69			
44	98	70			
45	98	71			
46	98	71			
47	98	71			
48	98	71			
49	98	71			
≥50	99	7			

12-15 months

Total and subscale scores with corresponding percentiles (%) and t-scores

PediEAT: Total Score			Score	%	t-score
≤22	1	28	90	73	56
23	2	28	91	73	56
24	2	29	92	76	57
25	2	29	93	78	58
26	2	29	94	79	58
27	2	29	95	80	58
28	2	29	96	80	58
29	3	30	97	81	59
30	3	31	98	82	59
31	5	34	99	84	60
32	6	34	100	85	60
33	6	35	101	85	61
34	7	35	102	86	61
35	7	35	103	86	61
36	8	36	104	87	61
37	9	37	105	89	62
38	10	37	106	90	63
39	11	38	107	90	63
40	12	38	108	90	63
41	13	39	109	90	63
42	14	39	110	91	63
43	16	40	111	91	63
44	19	41	112	91	63
45	21	42	113	92	64
46	22	42	114	92	64
47	23	43	115	92	64
48	24	43	116	93	64
49	25	43	117	93	65
50	27	44	118	93	65
51	28	44	119	93	65
52	28	44	120	94	66
53	29	44	121	94	66
54	30	45	122	94	66
55	31	45	123	95	66
56	32	45	124	95	66
57	33	45	125	95	66
58	33	46	126	95	66
59	34	46	127	95	67
60	37	47	128	95	67
61	38	47	129	95	67
62	40	47	130	95	67
63	41	48	131	95	67
64	41	48	132	96	67
65	42	48	133	96	67
66	43	48	134	96	67
67	44	48	135	96	67
68	45	49	136	96	67
69	45	49	137	96	68
70	46	49	138	96	68
71	46	49	139	97	68
72	46	49	140	97	68
73	46	49	141	97	69
74	47	49	142	97	69
75	47	49	143	97	69
76	48	49	144	98	70
77	50	50	145	98	70
78	52	51	146	98	70
79	56	52	147	98	71
80	58	52	148	98	71
81	60	53	149	98	71
82	63	53	150	98	71
83	65	54	≥151	99	72
84	66	54			
85	67	54			
86	69	55			
87	70	55			
88	72	56			
89	72	56			

PediEAT: Physiological Symptoms			Score	%	t-score
0	3	31			
1	7	35			
2	9	37			
3	11	38			
4	15	40			
5	21	42			
6	24	43			
7	28	44			
8	31	45			
9	36	46			
10	42	48			
11	47	49			
12	51	50			
13	57	52			
14	63	53			
15	68	55			
16	70	55			
17	71	56			
18	73	56			
19	74	56			
20	75	57			
21	77	57			
22	80	58			
23	82	59			
24	83	60			
25	84	60			
26	85	60			
27	87	61			
28	89	62			
29	91	63			
30	93	65			
31	94	65			
32	94	66			
33	95	66			
34	95	66			
35	96	67			
36	96	68			
37	96	68			
38	97	68			
39	97	68			
40	97	69			
41	97	69			
42	97	69			
43	97	69			
44	98	70			
45	98	70			
46	98	70			
47	98	70			
48	98	71			
49	98	71			
50	98	71			
51	98	72			
≥52	99	72			

PediEAT: Selective/Restrictive Eating			Score	%	t-score
≤2	1	27			
3	2	29			
4	3	31			
5	4	32			
6	5	34			
7	6	34			
8	8	36			
9	10	37			
10	14	39			
11	17	40			
12	19	41			
13	23	43			
14	28	44			
15	35	46			
16	41	48			
17	47	49			
18	51	50			
19	54	51			
20	57	52			
21	63	53			
22	69	55			
23	75	57			
24	80	58			
25	83	60			
26	86	61			
27	88	62			
28	91	63			
29	92	64			
30	93	65			
31	95	66			
32	96	68			
33	97	68			
34	97	69			
35	98	70			
36	98	71			
37	98	71			
≥38	99	72			

PediEAT: Problematic Mealtime Behaviors			Score	%	t-score
≤1	1	27			
2	2	29			
3	3	31			
4	6	34			
5	7	35			
6	7	35			
7	8	36			
8	10	37			
9	13	39			
10	15	40			
11	20	42			
12	22	42			
13	24	43			
14	26	44			
15	30	45			
16	33	46			
17	35	46			
18	37	47			
19	40	47			
20	45	49			
21	50	50			
22	55	51			
23	57	52			
24	60	53			
25	63	53			
26	66	54			
27	68	55			
28	71	56			
29	73	56			
30	76	57			
31	79	58			
32	81	59			
33	82	59			
34	84	60			
35	87	61			
36	88	62			
37	89	62			
38	90	63			
39	91	63			
40	91	63			
41	92	64			
42	93	65			
43	94	65			
44	94	66			
45	95	66			
46	95	66			
47	96	68			
48	97	69			
49	98	71			
50	98	71			
51	98	71			
52	98	71			
53	98	71			
54	98	71			
55	98	71			
56	98	71			
57	98	71			
58	98	71			
59	98	71			
60	98	71			
61	98	71			
62	98	71			
63	98	72			
64	98	72			
65	98	72			
≥66	99	72			

PediEAT: Oral Processing			Score	%	t-score
≤7	1	27			
8	5	34			
9	10	37			
10	13	39			
11	16	40			
12	19	41			
13	25	43			
14	32	45			
15	38	47			
16	44	48			
17	49	50			
18	52	51			
19	54	51			
20	57	52			
21	60	53			
22	63	53			
23	67	54			
24	71	56			
25	75	57			
26	77	57			
27	81	59			
28	84	60			
29	86	61			
30	88	62			
31	90	63			
32	92	64			
33	93	65			
34	94	66			
35	95	66			
36	95	67			
37	96	67			
38	96	68			
39	97	69			
40	98	71			
41	98	71			
42	98	71			
43	98	71			
44	98	71			
45	98	71			
46	98	72			
≥47	99	72			

15-18 months

Total and subscale scores with corresponding percentiles (%) and t-scores

PediEAT: Total Score			Score	%	t-score
Score	%	t-score	86	78	58
≤19	1	27	87	79	58
20	3	31	88	80	58
21	3	32	89	80	58
22	4	32	90	82	59
23	4	32	91	83	59
24	4	32	92	84	60
25	5	33	93	84	60
26	5	34	94	85	60
27	5	34	95	86	61
28	6	34	96	87	61
29	6	34	97	88	62
30	6	34	98	90	63
31	7	35	99	91	63
32	8	36	100	91	64
33	9	37	101	92	64
34	11	38	102	92	64
35	12	38	103	92	64
36	14	39	104	92	64
37	17	40	105	93	64
38	17	41	106	93	65
39	18	41	107	93	65
40	18	41	108	93	65
41	19	41	109	94	65
42	19	41	110	94	66
43	20	42	111	96	68
44	21	42	112	96	68
45	22	42	113	97	68
46	25	43	114	97	69
47	28	44	115	97	69
48	29	44	116	98	70
49	30	45	117	98	70
50	33	46	118	98	71
51	36	46	119	98	71
52	37	47	120	98	71
53	38	47	121	98	71
54	40	47	122	98	71
55	43	48	123	98	71
56	44	48	124	98	71
57	45	49	125	98	71
58	46	49	126	98	71
59	47	49	127	98	71
60	48	49	128	98	71
61	49	50	129	98	71
62	50	50	130	98	71
63	53	51	131	98	71
64	55	51	132	98	71
65	56	52	133	98	72
66	57	52	134	98	72
67	57	52	≥135	99	72
68	58	52			
69	59	52			
70	60	53			
71	61	53			
72	61	53			
73	62	53			
74	63	53			
75	65	54			
76	67	54			
77	68	55			
78	69	55			
79	70	55			
80	71	56			
81	75	57			
82	77	57			
83	77	57			
84	78	58			
85	78	58			

PediEAT: Physiological Symptoms			Score	%	t-score
Score	%	t-score	0	4	32
0	4	32	1	9	37
1	9	37	2	13	39
2	13	39	3	19	41
3	19	41	4	26	44
4	26	44	5	32	45
5	32	45	6	38	47
6	38	47	7	44	48
7	44	48	8	52	51
8	52	51	9	59	52
9	59	52	10	64	54
10	64	54	11	71	56
11	71	56	12	77	57
12	77	57	13	81	59
13	81	59	14	84	60
14	84	60	15	87	61
15	87	61	16	88	62
16	88	62	17	89	62
17	89	62	18	91	63
18	91	63	19	93	65
19	93	65	20	95	66
20	95	66	21	96	68
21	96	68	22	96	68
22	96	68	23	97	68
23	97	68	24	97	68
24	97	68	25	97	69
25	97	69	26	98	71
26	98	71	27	98	71
27	98	71	28	98	71
28	98	71	29	98	71
29	98	71	30	98	71
30	98	71	31	98	71
31	98	71	≥32	99	72

PediEAT: Selective/Restrictive Eating			Score	%	t-score
Score	%	t-score	≤3	1	27
≤3	1	27	4	3	30
4	3	30	5	4	32
5	4	32	6	7	35
6	7	35	7	9	37
7	9	37	8	11	38
8	11	38	9	13	39
9	13	39	10	16	40
10	16	40	11	20	42
11	20	42	12	24	43
12	24	43	13	29	44
13	29	44	14	35	46
14	35	46	15	40	47
15	40	47	16	47	49
16	47	49	17	54	51
17	54	51	18	59	52
18	59	52	19	65	54
19	65	54	20	71	56
20	71	56	21	76	57
21	76	57	22	80	58
22	80	58	23	84	60
23	84	60	24	86	61
24	86	61	25	88	62
25	88	62	26	91	63
26	91	63	27	94	66
27	94	66	28	96	68
28	96	68	29	97	68
29	97	68	30	97	69
30	97	69	31	97	69
31	97	69	32	98	70
32	98	70	33	98	70
33	98	70	34	98	71
34	98	71	35	98	71
35	98	71	≥36	99	72

PediEAT: Problematic Mealtime Behaviors			Score	%	t-score
Score	%	t-score	≤2	1	27
≤2	1	27	3	2	29
3	2	29	4	3	31
4	3	31	5	5	33
5	5	33	6	6	34
6	6	34	7	8	36
7	8	36	8	11	38
8	11	38	9	13	39
9	13	39	10	15	40
10	15	40	11	18	41
11	18	41	12	22	42
12	22	42	13	23	43
13	23	43	14	25	43
14	25	43	15	29	44
15	29	44	16	33	46
16	33	46	17	35	46
17	35	46	18	36	46
18	36	46	19	40	47
19	40	47	20	46	49
20	46	49	21	50	50
21	50	50	22	51	50
22	51	50	23	55	51
23	55	51	24	57	52
24	57	52	25	59	52
25	59	52	26	62	53
26	62	53	27	66	54
27	66	54	28	72	56
28	72	56	29	74	56
29	74	56	30	75	57
30	75	57	31	75	57
31	75	57	32	76	57
32	76	57	33	79	58
33	79	58	34	82	59
34	82	59	35	84	60
35	84	60	36	85	60
36	85	60	37	86	61
37	86	61	38	89	62
38	89	62	39	90	63
39	90	63	40	91	63
40	91	63	41	91	64
41	91	64	42	92	64
42	92	64	43	93	65
43	93	65	44	95	66
44	95	66	45	96	67
45	96	67	46	96	68
46	96	68	47	97	69
47	97	69	≥48	99	73

PediEAT: Oral Processing			Score	%	t-score
Score	%	t-score	≤7	1	27
≤7	1	27	8	5	34
8	5	34	9	10	37
9	10	37	10	13	39
10	13	39	11	16	40
11	16	40	12	19	41
12	19	41	13	25	43
13	25	43	14	32	45
14	32	45	15	38	47
15	38	47	16	44	48
16	44	48	17	49	50
17	49	50	18	52	51
18	52	51	19	54	51
19	54	51	20	57	52
20	57	52	21	60	53
21	60	53	22	63	53
22	63	53	23	67	54
23	67	54	24	71	56
24	71	56	25	75	57
25	75	57	26	77	57
26	77	57	27	81	59
27	81	59	28	84	60
28	84	60	29	86	61
29	86	61	30	88	62
30	88	62	31	90	63
31	90	63	32	92	64
32	92	64	33	93	65
33	93	65	34	94	66
34	94	66	35	95	66
35	95	66	36	95	67
36	95	67	37	96	67
37	96	67	38	96	68
38	96	68	39	97	69
39	97	69	40	98	71
40	98	71	41	98	71
41	98	71	42	98	71
42	98	71	43	98	71
43	98	71	44	98	71
44	98	71	45	98	71
45	98	71	46	98	72
46	98	72	≥47	99	72

18-24 months

Total and subscale scores with corresponding percentiles (%) and t-scores

PediEAT: Total Score			Score	%	t-score
0	0	22	68	57	52
1	1	24	69	59	52
2	1	26	70	60	53
3	1	27	71	63	53
4	1	27	72	64	54
5	1	27	73	67	54
6	1	28	74	69	55
7	1	28	75	71	56
8	2	28	76	72	56
9	2	29	77	72	56
10	2	29	78	73	56
11	2	29	79	74	56
12	2	29	80	76	57
13	2	29	81	78	58
14	3	30	82	79	58
15	3	31	83	79	58
16	4	32	84	80	58
17	4	32	85	81	59
18	5	34	86	81	59
19	5	34	87	83	60
20	5	34	88	84	60
21	6	34	89	85	60
22	6	34	90	86	61
23	6	34	91	86	61
24	6	35	92	86	61
25	6	35	93	86	61
26	6	35	94	87	61
27	7	35	95	87	61
28	7	35	96	87	61
29	7	35	97	89	62
30	7	35	98	90	63
31	7	35	99	91	63
32	8	36	100	93	65
33	8	36	101	93	65
34	9	36	102	93	65
35	9	37	103	94	65
36	11	38	104	94	65
37	13	39	105	94	65
38	14	39	106	94	66
39	15	40	107	95	66
40	15	40	108	95	67
41	16	40	109	96	67
42	16	40	110	96	68
43	18	41	111	97	68
44	22	42	112	97	69
45	26	44	113	97	69
46	27	44	114	97	69
47	28	44	115	97	69
48	30	45	116-164	98	70
49	32	45	≥165	99	72
50	33	46			
51	35	46			
52	37	47			
53	39	47			
54	40	47			
55	41	48			
56	42	48			
57	44	48			
58	46	49			
59	46	49			
60	47	49			
61	47	49			
62	47	49			
63	48	49			
64	48	49			
65	50	50			
66	52	51			
67	55	51			

PediEAT: Physiological Symptoms			Score	%	t-score
0	5	34	36	33	34
1	11	38	37	34	35
2	18	41	38	35	36
3	26	44	39	36	37
4	33	46	40	37	38
5	40	47	41	38	39
6	47	49	42	39	40
7	55	51	43	40	41
8	60	53	44	41	42
9	64	54	45	42	43
10	69	55	46	43	44
11	74	56	47	44	45
12	79	58	48	45	46
13	82	59	49	46	47
14	84	60	50	47	48
15	85	60	51	48	49
16	88	62	52	49	50
17	90	63	53	50	51
18	91	63	54	51	52
19	93	65	55	52	53
20	94	66	56	53	54
21	95	66	57	54	55
22	95	66	58	55	56
23	95	67	59	56	57
24	95	67	60	57	58
25	96	67	61	58	59
26	96	67	62	59	60
27	96	68	63	60	61
28	96	68	64	61	62
29	97	68	65	62	63
30	97	69	66	63	64
31	97	69	67	64	65
32	97	69	68	65	66
33	98	70	69	66	67
34	98	70	70	67	68
35	98	70	71	68	69
36	98	71	72	69	70
37	98	71	73	70	71
38	98	71	74	71	72
39	98	71	75	72	73
40	98	71	76	73	74
41	98	71	77	74	75
42	98	71	78	75	76
43	98	71	79	76	77
44	98	71	80	77	78
45	98	71	81	78	79
46	98	71	82	79	80
47	98	71	83	80	81
48	98	71	84	81	82
49	98	71	85	82	83
50	98	71	86	83	84
51	98	71	87	84	85
52	98	71	88	85	86
53	98	71	89	86	87
54	98	71	90	87	88
55	98	71	91	88	89
56	98	71	92	89	90
57	98	72	93	90	91
58	98	72	94	91	92
59	98	72	95	92	93
60	98	72	96	93	94
61	98	72	97	94	95
62	99	72	98	95	96

PediEAT: Selective/Restrictive Eating			Score	%	t-score
0	1	27	34	33	34
1	2	29	35	34	35
2	3	31	36	35	36
3	4	32	37	36	37
4	6	34	38	37	38
5	7	35	39	38	39
6	10	37	40	39	40
7	13	39	41	40	41
8	15	39	42	41	42
9	16	40	43	42	43
10	20	42	44	43	44
11	26	44	45	44	45
12	33	46	46	45	46
13	40	47	47	46	47
14	47	49	48	47	48
15	53	51	49	48	49
16	60	53	50	49	50
17	65	54	51	50	51
18	70	55	52	51	52
19	77	57	53	52	53
20	84	60	54	53	54
21	87	61	55	54	55
22	90	63	56	55	56
23	91	63	57	56	57
24	92	64	58	57	58
25	93	65	59	58	59
26	94	66	60	59	60
27	96	68	61	60	61
28	96	68	62	61	62
29	97	69	63	62	63
30	97	69	64	63	64
31	98	70	65	64	65
32	98	71	66	65	66
33	98	71	67	66	67
≥34	99	72	68	67	68

PediEAT: Problematic Mealtime Behaviors			Score	%	t-score
0	1	27	34	33	34
1	2	29	35	34	35
2	2	30	36	35	36
3	3	31	37	36	37
4	4	32	38	37	38
5	5	34	39	38	39
6	6	34	40	39	40
7	7	35	41	40	41
8	8	36	42	41	42
9	10	37	43	42	43
10	11	37	44	43	44
11	11	38	45	44	45
12	13	39	46	45	46
13	15	40	47	46	47
14	19	41	48	47	48
15	22	42	49	48	49
16	23	43	50	49	50
17	27	44	51	50	51
18	33	46	52	51	52
19	37	47	53	52	53
20	39	47	54	53	54
21	41	48	55	54	55
22	42	48	56	55	56
23	44	48	57	56	57
24	48	49	58	57	58
25	53	51	59	58	59
26	57	52	60	59	60
27	59	52	61	60	61
28	61	53	62	61	62
29	64	54	63	62	63
30	67	54	64	63	64
31	71	56	65	64	65
32	75	57	66	65	66
33	77	57	67	66	67
34	79	58	68	67	68
35	81	59	69	68	69
36	82	59	70	69	70
37	84	60	71	70	71
38	86	61	72	71	72
39	87	61	73	72	73
40	88	62	74	73	74
41	89	62	75	74	75
42	89	62	76	75	76
43	90	63	77	76	77
44	92	64	78	77	78
45	93	65	79	78	79
46	94	65	80	79	80
47	94	66	81	80	81
48	95	66	82	81	82
49	96	68	83	82	83
50	96	68	84	83	84
51	97	69	85	84	85
52	97	69	86	85	86
53	98	70	87	86	87
54	98	71	88	87	88
55	98	71	89	88	89
56	98	71	90	89	90
57	98	72	91	90	91
58	98	72	92	91	92
59	98	72	93	92	93
60	98	72	94	93	94
61	98	72	95	94	95
62	99	72	96	95	96

PediEAT: Oral Processing			Score	%	t-score
0	1	24	34	33	34
1	1	27	35	34	35
2	2	28	36	35	36
3	2	29	37	36	37
4	4	32	38	37	38
5	5	34	39	38	39
6	7	35	40	39	40
7	8	36	41	40	41
8	11	38	42	41	42
9	15	40	43	42	43
10	18	41	44	43	44
11	23	43	45	44	45
12	31	45	46	45	46
13	38	47	47	46	47
14	43	48	48	47	48
15	46	49	49	48	49
16	50	50	50	49	50
17	55	51	51	50	51
18	60	53	52	51	52
19	66	54	53	52	53
20	72	56	54	53	54
21	76	57	55	54	55
22	83	60	56	55	56
23	88	62	57	56	57
24	90	63	58	57	58
25	91	63	59	58	59
26	92	64	60	59	60
2					

24-30 months

Total and subscale scores with corresponding percentiles (%) and t-scores

PediEAT: Total Score			Score	%	t-score
Score	%	t-score	79	65	54
≤11	1	28	80	67	54
12	2	28	81	68	55
13	2	29	82	68	55
14	2	29	83	69	55
15	2	30	84	69	55
16	3	30	85	70	55
17	3	31	86	71	56
18	3	31	87	72	56
19	3	31	88	73	56
20	3	32	89	73	56
21	3	32	90	74	56
22	4	32	91	74	56
23	4	32	92	75	57
24	4	32	93	76	57
25	4	32	94	76	57
26	4	32	95	78	58
27	6	34	96	79	58
28	7	35	97	80	58
29	7	35	98	81	59
30	8	36	99	83	60
31	8	36	100	84	60
32	9	37	101	85	60
33	9	37	102	86	61
34	9	37	103	86	61
35	10	37	104	87	61
36	10	37	105	89	62
37	10	37	106	90	63
38	10	37	107	90	63
39	10	37	108	91	63
40	11	38	109	92	64
41	11	38	110	92	64
42	13	39	111	92	64
43	14	39	112	92	64
44	15	40	113	93	64
45	16	40	114	93	64
46	17	40	115	93	65
47	17	41	116	93	65
48	18	41	117	93	65
49	19	41	118	94	65
50	20	42	119	94	66
51	23	43	120	95	66
52	24	43	121	95	67
53	25	43	122	95	67
54	26	44	123	96	67
55	27	44	124	96	67
56	28	44	125	96	68
57	28	44	126	97	69
58	29	44	127	98	71
59	29	44	128	98	71
60	29	44	129	98	71
61	31	45	130	98	71
62	35	46	131	98	71
63	36	46	132	98	71
64	37	47	≥133	99	72
65	38	47			
66	41	48			
67	44	48			
68	46	49			
69	48	49			
70	49	50			
71	50	50			
72	53	51			
73	55	51			
74	57	52			
75	59	52			
76	60	53			
77	61	53			
78	62	53			

PediEAT: Physiological Symptoms			Score	%	t-score
Score	%	t-score	0	6	34
0	6	34	1	13	39
1	13	39	2	16	40
2	16	40	3	21	42
3	21	42	4	30	45
4	30	45	5	38	47
5	38	47	6	45	49
6	45	49	7	52	51
7	52	51	8	59	52
8	59	52	9	65	54
9	65	54	10	68	55
10	68	55	11	72	56
11	72	56	12	77	57
12	77	57	13	81	59
13	81	59	14	84	60
14	84	60	15	86	61
15	86	61	16	88	62
16	88	62	17	89	62
17	89	62	18	91	63
18	91	63	19	93	65
19	93	65	20	94	66
20	94	66	21	95	66
21	95	66	22	96	68
22	96	68	23	97	68
23	97	68	24	97	69
24	97	69	25	98	71
25	98	71	≥26	99	73

PediEAT: Selective/Restrictive Eating			Score	%	t-score
Score	%	t-score	0	1	27
0	1	27	1	3	31
1	3	31	2	6	34
2	6	34	3	8	36
3	8	36	4	9	37
4	9	37	5	11	37
5	11	37	6	12	38
6	12	38	7	16	40
7	16	40	8	19	41
8	19	41	9	20	42
9	20	42	10	27	44
10	27	44	11	34	46
11	34	46	12	38	47
12	38	47	13	40	47
13	40	47	14	44	48
14	44	48	15	49	50
15	49	50	16	55	51
16	55	51	17	62	53
17	62	53	18	67	54
18	67	54	19	72	56
19	72	56	20	78	58
20	78	58	21	83	60
21	83	60	22	88	62
22	88	62	23	91	63
23	91	63	24	92	64
24	92	64	25	92	64
25	92	64	26	93	65
26	93	65	27	95	66
27	95	66	28	96	68
28	96	68	29	96	68
29	96	68	30	97	68
30	97	68	31	97	69
31	97	69	32	97	69
32	97	69	33	97	69
33	97	69	34	98	70
34	98	70	35	98	71
35	98	71	36	98	71
36	98	71	37	98	71
37	98	71	38	98	72
38	98	72	≥39	99	72

PediEAT: Problematic Mealtime Behaviors			Score	%	t-score
Score	%	t-score	≤1	1	27
≤1	1	27	2	2	29
2	2	29	3	2	30
3	2	30	4	2	30
4	2	30	5	3	31
5	3	31	6	3	31
6	3	31	7	3	31
7	3	31	8	3	32
8	3	32	9	4	32
9	4	32	10	4	32
10	4	32	11	5	33
11	5	33	12	5	34
12	5	34	13	6	34
13	6	34	14	9	37
14	9	37	15	11	38
15	11	38	16	12	38
16	12	38	17	13	39
17	13	39	18	15	40
18	15	40	19	16	40
19	16	40	20	18	41
20	18	41	21	20	42
21	20	42	22	20	42
22	20	42	23	21	42
23	21	42	24	22	42
24	22	42	25	25	43
25	25	43	26	30	45
26	30	45	27	34	46
27	34	46	28	38	47
28	38	47	29	41	48
29	41	48	30	46	49
30	46	49	31	49	50
31	49	50	32	52	51
32	52	51	33	55	51
33	55	51	34	58	52
34	58	52	35	60	53
35	60	53	36	62	53
36	62	53	37	65	54
37	65	54	38	68	55
38	68	55	39	70	55
39	70	55	40	72	56
40	72	56	41	75	57
41	75	57	42	77	57
42	77	57	43	78	58
43	78	58	44	79	58
44	79	58	45	82	59
45	82	59	46	85	60
46	85	60	47	90	63
47	90	63	48	94	66
48	94	66	49	96	68
49	96	68	50	97	68
50	97	68	51	97	69
51	97	69	52	98	71
52	98	71	53	98	71
53	98	71	54	98	71
54	98	71	55	98	71
55	98	71	56	98	71
56	98	71	57	98	71
57	98	71	58	98	72
58	98	72	≥59	99	72

PediEAT: Oral Processing			Score	%	t-score
Score	%	t-score	≤3	1	27
≤3	1	27	4	2	29
4	2	29	5	4	32
5	4	32	6	5	34
6	5	34	7	6	34
7	6	34	8	10	37
8	10	37	9	13	39
9	13	39	10	15	40
10	15	40	11	20	42
11	20	42	12	29	44
12	29	44	13	34	46
13	34	46	14	40	47
14	40	47	15	47	49
15	47	49	16	50	50
16	50	50	17	53	51
17	53	51	18	55	51
18	55	51	19	61	53
19	61	53	20	66	54
20	66	54	21	68	55
21	68	55	22	71	56
22	71	56	23	76	57
23	76	57	24	79	58
24	79	58	25	83	60
25	83	60	26	85	60
26	85	60	27	89	62
27	89	62	28	92	64
28	92	64	29	93	65
29	93	65	30	94	65
30	94	65	31	94	66
31	94	66	32	95	66
32	95	66	33	95	66
33	95	66	34	95	67
34	95	67	35	96	67
35	96	67	36	96	68
36	96	68	37	97	69
37	97	69	38	98	71
38	98	71	39	98	71
39	98	71	40	98	71
40	98	71	41	98	71
41	98	71	42	98	71
42	98	71	≥43	99	72

30-36 months

Total and subscale scores with corresponding percentiles (%) and t-scores

PediEAT: Total Score			Score	%	t-score
≤10	1	28	77	69	55
11	2	28	78	70	55
12	2	29	79	71	56
13	2	29	80	72	56
14	3	30	81	72	56
15	3	31	82	73	56
16	3	31	83	73	56
17	3	32	84	73	56
18	4	32	85	74	56
19	4	32	86	74	56
20	4	32	87	75	57
21	4	32	88	76	57
22	4	33	89	77	57
23	5	33	90	79	58
24	5	34	91	79	58
25	5	34	92	80	58
26	6	34	93	80	58
27	6	34	94	80	58
28	6	34	95	82	59
29	6	35	96	84	60
30	7	35	97	85	60
31	7	35	98	85	60
32	7	35	99	85	60
33	8	36	100	86	61
34	8	36	101	86	61
35	9	37	102	86	61
36	10	37	103	87	61
37	11	38	104	88	62
38	12	38	105	89	62
39	13	39	106	89	62
40	14	39	107	90	63
41	16	40	108	90	63
42	17	40	109	90	63
43	18	41	110	90	63
44	19	41	111	91	63
45	21	42	112	91	63
46	25	43	113	93	65
47	26	44	114	93	65
48	27	44	115	94	65
49	28	44	116	94	66
50	30	45	117	94	66
51	32	45	118	95	66
52	36	46	119	95	66
53	37	47	120	95	67
54	37	47	121	95	67
55	40	47	122	96	67
56	42	48	123	96	67
57	43	48	124	96	68
58	44	48	125	97	69
59	44	48	126	97	69
60	45	49	127	97	69
61	46	49	128	98	70
62	48	49	129	98	70
63	50	50	130	98	71
64	51	50	131	98	71
65	51	50	132	98	71
66	53	51	133	98	71
67	55	51	134	98	71
68	56	52	135	98	72
69	57	52	≥136	99	72
70	58	52			
71	59	52			
72	61	53			
73	63	53			
74	65	54			
75	67	54			
76	68	55			

PediEAT: Physiological Symptoms			Score	%	t-score
0	6	34	34	68	68
1	13	39	39	78	71
2	20	42	42	84	71
3	30	45	45	91	71
4	39	47	47	98	71
5	47	49	49	98	71
6	54	51	51	98	71
7	59	52	52	98	71
8	64	54	54	98	71
9	70	55	55	98	71
10	74	56	56	98	71
11	78	58	58	98	71
12	82	59	59	98	71
13	84	60	60	98	71
14	86	61	61	98	71
15	88	62	62	98	71
16	91	63	63	98	71
17	92	64	64	98	71
18	93	64	64	98	71
19	93	65	65	98	71
20	94	65	65	98	71
21	94	66	66	98	71
22	95	66	66	98	71
23	96	67	67	98	71
24	96	68	68	98	71
25	96	68	68	98	71
26	97	68	68	98	71
27	97	68	68	98	71
28	97	69	69	98	71
29	97	69	69	98	71
30	97	69	69	98	71
31	97	69	69	98	71
32	98	70	70	98	71
33	98	70	70	98	71
34	98	70	70	98	71
35	98	70	70	98	71
36	98	71	71	98	71
37	98	71	71	98	71
38	98	71	71	98	71
39	98	71	71	98	71
40	98	71	71	98	71
41	98	71	71	98	71
42	98	71	71	98	71
43	98	71	71	98	71
44	98	71	71	98	71
45	98	71	71	98	71
46	98	71	71	98	71
47	98	71	71	98	71
48	98	71	71	98	71
49	98	71	71	98	71
50	98	71	71	98	71
51	98	71	71	98	71
52	98	71	71	98	71
53	98	71	71	98	71
54	98	71	71	98	71
55	98	71	71	98	71
56	98	71	71	98	71
57	98	72	72	98	71
58	98	72	72	98	71
59	98	72	72	98	71
60	98	72	72	98	71
≥61	99	72	72	99	72

PediEAT: Selective/Restrictive Eating			Score	%	t-score
≤1	1	28	28	68	68
2	2	29	29	78	71
3	4	32	32	84	71
4	6	34	34	91	71
5	9	37	37	98	71
6	12	38	38	98	71
7	16	40	40	98	71
8	25	43	43	98	71
9	33	46	46	98	71
10	40	47	47	98	71
11	49	50	50	98	71
12	55	51	51	98	71
13	60	53	53	98	71
14	64	54	54	98	71
15	69	55	55	98	71
16	73	56	56	98	71
17	76	57	57	98	71
18	80	58	58	98	71
19	83	60	60	98	71
20	85	60	60	98	71
21	88	62	62	98	71
22	92	64	64	98	71
23	93	65	65	98	71
24	94	66	66	98	71
25	95	66	66	98	71
26	96	67	67	98	71
27	96	68	68	98	71
28	97	69	69	98	71
29	97	69	69	98	71
30	98	70	70	98	71
31	98	70	70	98	71
32	98	71	71	98	71
33	98	72	72	98	71
≥34	99	72	72	99	72

PediEAT: Problematic Mealtime Behaviors			Score	%	t-score
0	1	27	27	68	68
1	2	29	29	78	71
2	2	30	30	84	71
3	3	30	30	91	71
4	3	31	31	98	71
5	3	31	31	98	71
6	4	32	32	98	71
7	5	34	34	98	71
8	6	34	34	98	71
9	6	34	34	98	71
10	8	36	36	98	71
11	9	37	37	98	71
12	10	37	37	98	71
13	12	38	38	98	71
14	15	40	40	98	71
15	17	40	40	98	71
16	18	41	41	98	71
17	21	42	42	98	71
18	23	43	43	98	71
19	26	44	44	98	71
20	28	44	44	98	71
21	29	44	44	98	71
22	29	44	44	98	71
23	30	45	45	98	71
24	31	45	45	98	71
25	34	46	46	98	71
26	37	47	47	98	71
27	40	47	47	98	71
28	44	48	48	98	71
29	47	49	49	98	71
30	48	49	49	98	71
31	49	50	50	98	71
32	52	51	51	98	71
33	57	52	52	98	71
34	59	52	52	98	71
35	61	53	53	98	71
36	62	53	53	98	71
37	63	53	53	98	71
38	64	54	54	98	71
39	66	54	54	98	71
40	69	55	55	98	71
41	71	56	56	98	71
42	74	56	56	98	71
43	78	58	58	98	71
44	81	59	59	98	71
45	83	59	59	98	71
46	84	60	60	98	71
47	85	60	60	98	71
48	85	60	60	98	71
49	86	61	61	98	71
50	86	61	61	98	71
51	88	62	62	98	71
52	89	62	62	98	71
53	89	62	62	98	71
54	90	63	63	98	71
55	92	64	64	98	71
56	93	64	64	98	71
57	93	65	65	98	71
58	94	65	65	98	71
59	94	66	66	98	71
60	95	66	66	98	71
61	95	67	67	98	71
62	95	67	67	98	71
63	96	67	67	98	71
64	96	68	68	98	71
65	96	68	68	98	71
66	97	69	69	98	71
67	98	71	71	98	71
≥68	99	73	73	99	72

PediEAT: Oral Processing			Score	%	t-score
≤4	1	27	27	68	68
5	3	31	31	78	71
6	6	34	34	84	71
7	8	36	36	91	71
8	13	39	39	98	71
9	20	42	42	98	71
10	24	43	43	98	71
11	27	44	44	98	71
12	33	46	46	98	71
13	38	47	47	98	71
14	43	48	48	98	71
15	51	50	50	98	71
16	55	51	51	98	71
17	59	52	52	98	71
18	68	55	55	98	71
19	74	56	56	98	71
20	76	57	57	98	71
21	79	58	58	98	71
22	82	59	59	98	71
23	84	60	60	98	71
24	85	60	60	98	71

3-4 years

Total and subscale scores with corresponding percentiles (%) and t-scores

PediEAT: Total Score					
Score	%	t-score	Score	%	t-score
≤11	1	27	77	67	54
12	2	28	78	68	55
13	2	29	79	70	55
14	3	31	80	70	55
15	4	32	81	71	55
16	4	33	82	71	56
17	5	33	83	72	56
18	5	34	84	73	56
19	5	34	85	74	56
20	6	34	86	75	57
21	6	34	87	75	57
22	6	34	88	76	57
23	7	35	89	77	57
24	8	36	90	79	58
25	8	36	91	80	58
26	9	37	92	81	59
27	10	37	93	83	60
28	10	37	94	84	60
29	11	38	95	86	61
30	11	38	96	86	61
31	12	38	97	87	61
32	13	39	98	87	61
33	14	39	99	87	61
34	16	40	100	87	61
35	17	40	101	88	62
36	18	41	102	88	62
37	20	42	103	88	62
38	22	42	104	88	62
39	23	42	105	88	62
40	23	43	106	90	63
41	24	43	107	91	63
42	24	43	108	92	64
43	26	44	109	93	65
44	27	44	110	94	66
45	27	44	111	94	66
46	29	44	112	95	66
47	30	45	113	95	66
48	31	45	114	95	67
49	32	45	115	96	67
50	34	46	116	96	68
51	36	46	117	96	68
52	37	47	118	97	68
53	39	47	119	97	69
54	41	48	120	97	69
55	42	48	121	97	69
56	42	48	122	98	70
57	43	48	123	98	70
58	45	49	124	98	70
59	47	49	125	98	71
60	48	49	126	98	71
61	48	49	127	98	71
62	49	50	128	98	71
63	49	50	≥129	99	72
64	50	50			
65	50	50			
66	52	51			
67	55	51			
68	56	51			
69	56	52			
70	58	52			
71	61	53			
72	62	53			
73	63	53			
74	64	54			
75	66	54			
76	66	54			

PediEAT: Physiological Symptoms		
Score	%	t-score
0	5	34
1	14	39
2	23	43
3	33	46
4	38	47
5	46	49
6	54	51
7	57	52
8	61	53
9	66	54
10	72	56
11	77	57
12	81	59
13	84	60
14	86	61
15	87	61
16	89	62
17	90	63
18	92	64
19	94	66
20	95	66
21	96	68
22	96	68
23	97	68
24	97	69
25	98	71
26	98	71
≥27	99	72

PediEAT: Selective/Restrictive Eating		
Score	%	t-score
≤1	1	27
2	4	32
3	9	37
4	12	38
5	16	40
6	22	42
7	28	44
8	37	47
9	43	48
10	45	49
11	49	50
12	55	51
13	62	53
14	69	55
15	75	57
16	78	58
17	81	59
18	84	60
19	87	61
20	90	63
21	93	65
22	94	66
23	96	68
24	97	69
25	98	71
≥26	99	72

PediEAT: Problematic Mealtime Behaviors		
Score	%	t-score
≤4	1	27
5	3	31
6	4	32
7	5	34
8	6	34
9	7	35
10	8	36
11	11	38
12	12	38
13	14	39
14	16	40
15	17	40
16	19	41
17	22	42
18	23	43
19	24	43
20	26	44
21	28	44
22	31	45
23	35	46
24	38	47
25	39	47
26	41	48
27	42	48
28	45	49
29	48	49
30	50	50
31	52	51
32	54	51
33	56	52
34	61	53
35	64	54
36	66	54
37	68	55
38	69	55
39	71	56
40	72	56
41	74	56
42	76	57
43	77	57
44	79	58
45	82	59
46	83	60
47	85	60
48	86	61
49	87	61
50	88	62
51	89	62
52	91	63
53	93	65
54	94	65
55	94	66
56	95	66
57	95	66
58	96	67
59	96	68
60	97	68
61	97	69
62	98	70
63	98	71
≥64	99	72

PediEAT: Oral Processing		
Score	%	t-score
≤3	1	27
4	3	31
5	6	34
6	11	38
7	16	40
8	19	41
9	24	43
10	29	44
11	34	46
12	38	47
13	41	48
14	44	48
15	49	50
16	56	52
17	62	53
18	65	54
19	67	54
20	72	56
21	74	56
22	77	57
23	80	58
24	84	60
25	88	62
26	88	62
27	89	62
28	92	64
29	95	66
30	96	68
31	97	69
32	98	71
≥33	99	73

4-5 years

Total and subscale scores with corresponding percentiles (%) and t-scores

PediEAT: Total Score		
Score	%	t-score
≤6	1	28
7	2	28
8	2	29
9	2	29
10	2	30
11	2	30
12	3	31
13	3	31
14	3	31
15	4	32
16	4	32
17	5	34
18	6	34
19	7	35
20	9	37
21	10	37
22	10	37
23	10	37
24	11	38
25	11	38
26	13	39
27	16	40
28	17	40
29	18	41
30	20	42
31	21	42
32	22	42
33	22	42
34	23	43
35	24	43
36	25	43
37	25	43
38	25	43
39	26	44
40	26	44
41	27	44
42	27	44
43	28	44
44	29	44
45	30	45
46	31	45
47	33	45
48	34	46
49	36	46
50	38	47
51	40	47
52	42	48
53	43	48
54	44	48
55	45	49
56	46	49
57	47	49
58	48	49
59	51	50
60	53	51
61	54	51
62	54	51
63	56	52
64	58	52
65	59	52
66	61	53
67	64	54
68	65	54
69	65	54

PediEAT: Physiological Symptoms		
Score	%	t-score
0	5	34
1	13	39
2	21	42
3	33	46
4	43	48
5	49	50
6	54	51
7	60	53
8	66	54
9	73	56
10	78	58
11	82	59
12	83	60
13	84	60
14	86	61
15	88	62
16	90	63
17	91	63
18	91	63
19	93	65
20	95	66
21	96	68
22	97	68
23	97	69
24	98	71
≥25	99	73

PediEAT: Selective/Restrictive Eating		
Score	%	t-score
0	1	27
1	3	31
2	5	34
3	9	37
4	16	40
5	21	42
6	25	43
7	33	46
8	43	48
9	52	51
10	58	52
11	63	53
12	70	55
13	77	57
14	82	59
15	84	60
16	86	61
17	88	62
18	89	62
19	91	63
20	92	64
21	95	66
22	96	68
23	97	69
24	98	71
≥25	99	72

PediEAT: Problematic Mealtime Behaviors		
Score	%	t-score
≤1	1	28
2	2	29
3	2	29
4	4	32
5	6	34
6	7	35
7	7	35
8	9	37
9	10	37
10	12	38
11	15	40
12	17	40
13	19	41
14	21	42
15	25	43
16	28	44
17	29	44
18	29	44
19	29	45
20	30	45
21	30	45
22	33	46
23	35	46
24	38	47
25	39	47
26	39	47
27	40	47
28	42	48
29	46	49
30	49	50
31	52	51
32	57	52
33	60	53
34	63	53
35	66	54
36	68	55
37	69	55
38	70	55
39	72	56
40	73	56
41	73	56
42	74	56
43	75	57
44	79	58
45	81	59
46	83	60
47	86	61
48	88	62
49	89	62
50	89	62
51	90	63
52	92	64
53	93	64
54	93	65
55	94	65
56	94	66
57	95	66
58	96	68
59	96	68
60	97	68
61	97	69
62	97	69
63	97	69
64	98	70
65	98	70
66	98	71
67	98	71
≥68	99	72

PediEAT: Oral Processing		
Score	%	t-score
≤2	1	27
3	5	34
4	9	37
5	12	38
6	16	40
7	21	42
8	27	44
9	32	45
10	37	47
11	39	47
12	43	48
13	50	50
14	57	52
15	61	53
16	64	54
17	66	54
18	67	54
19	71	56
20	76	57
21	80	58
22	83	60
23	86	61
24	89	62
25	91	63
26	93	65
27	94	66
28	96	68
29	96	68
30	97	68
31	97	69
≥32	99	73

5-6 years

Total and subscale scores with corresponding percentiles (%) and t-scores

PediEAT: Total Score			Score	%	t-score
≤15	1	28	70	74	56
16	2	28	71	74	57
17	2	29	72	75	57
18	2	29	73	75	57
19	2	29	74	76	57
20	3	31	75	78	58
21	4	32	76	79	58
22	4	32	77	80	58
23	5	33	78	80	58
24	5	34	79	81	59
25	7	35	80	81	59
26	8	36	81	83	60
27	9	37	82	83	60
28	10	37	83	84	60
29	11	38	84	84	60
30	13	39	85	84	60
31	16	40	86	84	60
32	19	41	87	85	60
33	21	42	88	85	60
34	23	43	89	85	60
35	24	43	90	86	61
36	26	44	91	87	61
37	27	44	92	87	61
38	28	44	93	88	62
39	29	44	94	88	62
40	30	45	95	89	62
41	32	45	96	90	63
42	34	46	97	90	63
43	35	46	98	90	63
44	36	46	99	91	63
45	38	47	100	91	63
46	39	47	101	91	63
47	40	47	102	91	64
48	41	48	103	92	64
49	42	48	104	92	64
50	42	48	105	92	64
51	44	48	106	93	64
52	46	49	107	93	65
53	48	49	108	94	66
54	50	50	109	95	66
55	52	50	110	96	67
56	53	51	111	96	68
57	54	51	112	97	69
58	55	51	113	97	69
59	56	52	114	97	70
60	57	52	115	98	70
61	59	52	116	98	70
62	61	53	117	98	71
63	62	53	118	98	71
64	62	53	119	99	72
65	64	54			
66	67	54			
67	70	55			
68	73	56			
69	74	56			

PediEAT: Physiological Symptoms			Score	%	t-score
0	5	34			
1	17	40			
2	26	44			
3	35	46			
4	47	49			
5	57	52			
6	63	53			
7	66	54			
8	73	56			
9	80	58			
10	84	60			
11	86	61			
12	87	61			
13	89	62			
14	90	63			
15	92	64			
16	93	65			
17	94	66			
18	95	66			
19	95	66			
20	96	68			
21	96	68			
22	97	68			
23	97	69			
24	98	70			
25	98	71			
26	99	72			

PediEAT: Selective/Restrictive Eating			Score	%	t-score
≤1	3	31			
2	8	36			
3	13	39			
4	16	40			
5	22	42			
6	31	45			
7	37	47			
8	44	48			
9	54	51			
10	61	53			
11	65	54			
12	72	56			
13	78	58			
14	83	60			
15	86	61			
16	89	62			
17	90	63			
18	91	63			
19	91	64			
20	92	64			
21	93	65			
22	95	66			
23	96	68			
24	98	71			
25	98	71			
26	98	71			
27	98	71			
28	98	71			
29	98	71			
30	98	71			
31	98	71			
32	98	71			
33	98	71			
34	98	71			
35	98	71			
36	98	71			
37	98	72			
38	98	72			
39	99	72			

PediEAT: Problematic Mealtime Behaviors			Score	%	t-score
≤3	1	28			
4	2	29			
5	2	29			
6	2	30			
7	3	31			
8	3	31			
9	4	32			
10	7	35			
11	11	38			
12	14	39			
13	17	40			
14	21	42			
15	23	43			
16	25	43			
17	26	44			
18	27	44			
19	29	44			
20	31	45			
21	33	46			
22	35	46			
23	36	46			
24	39	47			
25	43	48			
26	45	49			
27	46	49			
28	48	49			
29	50	50			
30	53	51			
31	58	52			
32	62	53			
33	64	54			
34	65	54			
35	65	54			
36	68	55			
37	72	56			
38	75	57			
39	79	58			
40	82	59			
41	84	60			
42	85	60			
43	86	61			
44	87	61			
45	88	62			
46	88	62			
47	88	62			
48	89	62			
49	89	62			
50	90	63			
51	90	63			
52	91	63			
53	91	63			
54	94	66			
55	95	66			
56	96	68			
57	97	69			
58	97	69			
59	97	69			
60	98	70			
61	98	70			
62	98	71			
63	98	71			
64	98	71			
65	99	72			

PediEAT: Oral Processing			Score	%	t-score
≤1	1	27			
2	3	31			
3	5	33			
4	6	34			
5	8	36			
6	11	38			
7	16	40			
8	23	43			
9	31	45			
10	39	47			
11	44	48			
12	48	49			
13	52	51			
14	60	53			
15	67	54			
16	73	56			
17	79	58			
18	82	59			
19	85	60			
20	87	61			
21	88	62			
22	90	63			
23	92	64			
24	93	65			
25	93	65			
26	94	66			
27	94	66			
28	95	66			
29	95	66			
30	95	67			
31	95	67			
32	96	67			
33	96	68			
34	97	69			
35	98	71			
36	98	71			
37	98	71			
38	98	71			
39	98	71			
40	98	71			
41	98	71			
42	98	71			
43	99	72			

6-7 years

Total and subscale scores with corresponding percentiles (%) and t-scores

PediEAT: Total Score					
Score	%	t-score	Score	%	t-score
≤7	1	27	75	83	59
8	2	29	76	83	60
9	2	30	77	84	60
10	3	31	78	85	60
11	3	31	79	85	60
12	4	32	80	87	61
13	4	33	81	88	62
14	4	33	82	90	63
15	5	33	83	91	63
16	5	33	84	91	63
17	5	33	85	91	64
18	5	34	86	91	64
19	7	35	87	91	64
20	8	36	88	92	64
21	9	37	89	92	64
22	11	38	90	92	64
23	12	38	91	92	64
24	14	39	92	92	64
25	16	40	93	92	64
26	19	41	94	93	65
27	21	42	95	93	65
28	22	42	96	94	66
29	22	42	97	94	66
30	23	42	98	95	66
31	23	43	99	95	66
32	25	43	100	95	67
33	28	44	101	95	67
34	30	45	102	95	67
35	31	45	103	96	67
36	33	46	104	96	67
37	36	46	105	96	67
38	38	47	106	96	68
39	40	47	107	96	68
40	42	48	108	96	68
41	45	49	109	96	68
42	46	49	110	96	68
43	47	49	111	96	68
44	48	49	112	97	68
45	48	49	113	97	68
46	49	50	114	97	68
47	50	50	115	97	69
48	51	50	116	97	69
49	53	51	117	97	69
50	54	51	118	97	69
51	55	51	119	97	69
52	56	52	120	98	70
53	58	52	121	98	70
54	60	53	122	98	71
55	61	53	123	98	71
56	61	53	124	98	71
57	62	53	125	98	71
58	63	53	126	98	71
59	64	54	127	98	71
60	65	54	128	98	71
61	66	54	129	98	71
62	67	54	130	98	71
63	68	55	131	98	71
64	70	55	132	98	71
65	71	55	133	98	71
66	71	56	134	98	71
67	72	56	135	98	71
68	74	56	136	98	71
69	75	57	137	98	71
70	77	57	138	98	71
71	79	58	139	98	72
72	80	58	140	98	72
73	81	59	141	99	72
74	82	59			

PediEAT: Physiological Symptoms		
Score	%	t-score
0	9	37
1	22	42
2	33	46
3	46	49
4	56	52
5	63	53
6	67	54
7	72	56
8	75	57
9	77	57
10	81	59
11	85	60
12	88	62
13	89	62
14	89	62
15	92	64
16	94	66
17	95	66
18	95	66
19	95	67
20	96	67
21	96	68
22	97	68
23	97	69
24	97	69
25	98	70
26	98	71
27	98	71
28	98	71
29	98	71
30	98	71
31	98	71
32	98	71
33	98	71
34	98	71
35	98	71
36	98	71
37	98	72
38	98	72
39	99	72

PediEAT: Selective/Restrictive Eating		
Score	%	t-score
0	2	29
1	6	34
2	12	38
3	16	40
4	23	43
5	33	46
6	38	47
7	44	48
8	51	50
9	60	53
10	69	55
11	74	56
12	76	57
13	79	58
14	81	59
15	82	59
16	84	60
17	86	61
18	88	62
19	92	64
20	95	66
21	96	67
22	96	68
23	97	69
24	97	69
25	97	69
26	98	70
27	98	70
28	98	71
29	98	71
30	98	71
31	98	71
32	98	71
33	98	71
34	98	71
35	98	71
36	98	71
37	98	71
38	98	72
39	98	72
40	99	72

PediEAT: Problematic Mealtime Behaviors		
Score	%	t-score
≤2	2	29
3	5	34
4	6	34
5	7	35
6	8	36
7	10	37
8	12	38
9	13	39
10	14	39
11	16	40
12	19	41
13	21	42
14	24	43
15	27	44
16	29	44
17	32	45
18	35	46
19	39	47
20	44	48
21	48	49
22	50	50
23	51	50
24	53	51
25	57	52
26	61	53
27	63	53
28	64	54
29	66	54
30	68	55
31	69	55
32	71	56
33	73	56
34	75	57
35	78	58
36	80	58
37	82	59
38	83	60
39	84	60
40	87	61
41	89	62
42	90	63
43	91	63
44	92	64
45	92	64
46	93	65
47	94	66
48	95	66
49	95	66
50	96	67
51	96	68
52	96	68
53	96	68
54	97	68
55	97	68
56	97	69
57	97	69
58	98	71
59	98	71
60	98	71
61	98	71
62	98	72
63	99	72

PediEAT: Oral Processing		
Score	%	t-score
≤1	1	27
2	3	31
3	6	34
4	8	36
5	12	38
6	17	40
7	24	43
8	32	45
9	38	47
10	41	48
11	47	49
12	51	50
13	54	51
14	61	53
15	68	55
16	74	56
17	79	58
18	82	59
19	83	60
20	85	60
21	87	61
22	89	62
23	90	63
24	90	63
25	91	63
26	93	65
27	95	66
28	96	68
29	97	69
30	98	70
31	98	71
32	98	71
33	99	72