



## **PEDIATRIC EATING ASSESSMENT TOOL (PediEAT)**

Intended Use: The PediEAT is intended to assess observable symptoms of problematic feeding in children between the ages of 6 months and 7 years who are being offered some solid foods. The PediEAT is intended to be completed by a caregiver who is familiar with the child's typical eating. This is most often a parent, but may be another primary care provider.

Disclosure: The PediEAT does not replace a healthcare provider's clinical assessment. The PediEAT is also not intended to provide a diagnosis, but instead may provide the health care provider with an objective assessment of the child's eating in order to facilitate diagnosis and treatment decisions.

Terms of Use: You may use the PediEAT for clinical practice or research, but you may not alter, distribute, share, or adapt the PediEAT for electronic medical charting or other digital use without permission from the authors. The PediEAT is protected by U.S. copyright law. Full terms of use below.

Referencing Information: Please give appropriate credit to the authors when presenting, publishing, or otherwise referencing the Pediatric Eating Assessment Tool (PediEAT).

Thoyre, S., Pados, B., Park, J., Estrem, H., Hodges, E., McComish, C., Van Riper, M., and Murdoch, K. (2014). Development and content validation of the Pediatric Eating Assessment Tool (Pedi-EAT). *American Journal of Speech-Language Pathology*, 23, 1-14. doi: 10.1044/1058-0360(2013/12-0069)

Thoyre, S., Pados, B., Park, J., Estrem, H., McComish, C., Hodges, E. (2018). The Pediatric Eating Assessment Tool: Factor structure and psychometric properties. *Journal of Pediatric Gastroenterology and Nutrition*, 66(2), 299-305. doi: 10.1097/MPG.0000000000001765

Pados, B.F., Thoyre, S.M., & Park, J. (2018). Age-based norm-reference values for the Pediatric Eating Assessment Tool. *Pediatric Research*, 84(2), 233-239. doi:10.1038/s41390-018-0067-z

Note: The PediEAT and the PediEAT 10-item Screeners are not in any way associated with the PEDI-EAT-10 by Soyer et al., 2017 or Arsian et al., 2018.

**PLEASE CHECK THE FEEDING FLOCK TEAM WEBSITE FOR UPDATES:**

[www.feedingflockteam.org](http://www.feedingflockteam.org)

## Terms of Use of Assessment Tools

The assessment tools developed by the authors are available for your non-commercial use in clinical practice, education, and research. You must agree to the following terms to download the assessment tools.

These assessment tools are protected by copyright. Your right to use of the assessment tools is limited to the right to use the tools for your personal, non-commercial use in accordance with the terms and conditions below.

- I acknowledge and agree that I may not reproduce, publish, share, distribute, or sell any of the assessment tools to anyone without prior written approval from an author and an appropriate license agreement executed by the author(s) of the tools.
- I agree that I will reference the tools by their correct names and credit the specific authors of the tools in my own presentations, publications, or any other work that I may generate using the tools. Reference information is available on the front page of each assessment tool.
- I acknowledge and agree that I may not alter the assessment tools in any way or create any derivative work from any of the assessment tools, including translating the tools into other languages, without the prior written approval from an author.
- I agree to use the assessment tools solely as intended (as set forth on the front page of each assessment tool).
- I acknowledge and agree that these assessment tools are not intended to be or to be considered or used as medical advice and/or diagnostic tools and do not replace a healthcare provider's assessment or care.
- I agree that the assessment tools are being provided "as is" and that neither the authors of the tools or their institutional affiliations make any warranty with respect to the tools.
- I acknowledge and agree that neither the authors of the tools, their institutional affiliations, or business affiliations shall have any liability with respect to the tools or the use of the tools, including without limitation ANY DIRECT, INDIRECT, SPECIAL, INCIDENTAL, PUNITIVE, CONSEQUENTIAL, OR OTHER DAMAGES.
- I hereby waive and agree to release the authors of the tools, their institutional affiliations, and business affiliations from and against all claims, liabilities, and damages of any kind arising out of my use of the tools.

## Instrumentul de evaluare pentru alimentație pediatrică (PediEAT)

### Instrument de screening pentru copii cu vârsta între 6 și 15 luni

Scopul utilizării: Această versiune a instrumentului de screening PediEAT este destinată să se adreseze simptomelor de alimentare problematică la copiii cu vârsta cuprinsă între 6 și 15 luni cărora le sunt oferite unele alimente solide. Instrumentul de screening PediEAT este conceput pentru a fi completat de un îngrijitor care este familiarizat cu obiceiurile tipice de alimentare ale copilului. Acesta este de cele mai multe ori un părinte, dar poate fi și un alt furnizor de îngrijire primară. Instrumentul de screening are intenția de a identifica copiii mici care necesită o evaluare mai aprofundată a alimentării.

Divulgare: Instrumentul de screening PediEAT nu înlocuiește evaluarea clinică a unui furnizor de servicii medicale. De asemenea, PediEAT nu este destinat să ofere un diagnostic, ci poate oferi furnizorului de servicii medicale o evaluare obiectivă a modului de alimentare a copilului pentru a facilita deciziile de diagnostic și tratament.

#### Referințe bibliografice:

Thoyre, S., Pados, B., Park, J., Estrem, H., Hodges, E., McComish, C., Van Riper, M., and Murdoch, K. (2014).

Development and content validation of the Pediatric Eating Assessment Tool (Pedi-EAT). *American Journal of Speech-Language Pathology*, 23, 1-14. doi: 10.1044/1058-0360(2013/12-0069)

Thoyre, S., Pados, B., Park, J., Estrem, H., McComish, C., Hodges, E. (2018). The Pediatric Eating Assessment Tool: Factor structure and psychometric properties. *Journal of Pediatric Gastroenterology and Nutrition*, 66(2), 299-305. doi: 10.1097/MPG.0000000000001765 PMID: 28953526

Pados, B.F., Thoyre, S.M., & Park, J. (2018). Age-based norm-reference values for the Pediatric Eating Assessment Tool. *Pediatric Research*, 84(2), 233-239. doi: 10.1038/s41390-018-0067-z

Pentru actualizări ale referințelor vă rugăm să contactați prin email autorul chestionarului original.

#### Termeni și condiții de utilizare:

Reproducerea conținutului acestui chestionar, integral sau parțial, în forma originală sau modificată, precum și stocarea în format electronic și transmiterea sub orice formă și prin orice mijloace sunt interzise fără autorizarea scrisă a autorului/autorilor chestionarelor originale, membru/membri ai echipei de cercetare Feeding Flock. Utilizarea conținutului acestui chestionar în articole, studii, cărți sau orice alt material publicistic este posibilă exclusiv cu autorizarea și/sau acordul expres al autorului/autorilor și numai cu indicarea precisă a sursei.

Acest chestionar a fost tradus și adaptat în limba română din limba engleză de Andra Pîrvan, Dr. Bogdan Fițiu, Asist. Monica Feroli, Dr. Mihaela Ștefănescu, Constanța Zurini-Muică, Dr. Andreea Manda (www.andreea.manda@eat-telecare.ro).

Varianta în limba română a acestui chestionar a fost realizată cu permisiunea documentată a autorului/autorilor variantei originale, membru/membri ai echipei de cercetare Feeding Flock. Orice traducere și/sau adaptare viitoare este posibilă numai cu acordul scris al autorului/autorilor chestionarului original.

Notă: PediEAT nu este în nici un fel asociat cu PEDI-EAT-10 realizat de Soyer și colegii (2017).

Numele copilului: \_\_\_\_\_

Data nașterii copilului: \_\_\_\_\_

Data completării: \_\_\_\_\_

### Instrumentul de evaluare pentru alimentație pediatrică (PediEAT)

#### Instrument de screening pentru copii cu vârsta între 6 și 15 luni

Instrucțiuni: Suntem interesați să aflăm despre comportamentele de hrănire ale copilului dumneavoastră. În timp ce completați acest chestionar, gândiți-vă la ceea ce este tipic pentru copilul dumneavoastră în acest moment.

Copilul meu...	Niciodată	Aproape niciodată	Uneori	Adesea	Aproape întotdeauna	Întotdeauna
1. preferă să bea în loc să mănânce	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. are gag la mâncare texturată cum ar fi terciul de ovăz integral	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. are gag la mâncare moale cum ar fi crema, mousse	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. scoate gâlgâituri sau sunete ca și cum ar simți nevoia să tușească sau să își curețe gâtul în timpul mesei sau după ce mănâncă	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. tușește în timpul mesei sau după ce mănâncă	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. râgâie mai mult decât de obicei în timp ce mănâncă	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. își mișcă capul în jos spre piept în timp ce înghite	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8. vomită în timpul mesei	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9. vomită între mese (de la 30 de minute de la ultima masă și până la următoarea masă)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10. îi ies mâncare sau lichide pe nas în timp ce mănâncă	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

#### Instrucțiuni de scorare:

În cazul în care unul dintre răspunsurile bifate se regăsește în zona marcată cu culoarea gri, copilul necesită o evaluare ulterioară mai amplă și este recomandat ca părintele să completeze versiunea completă a Instrumentului de evaluare pentru alimentația pediatrică (PediEAT).